

QUALITY PROVES.

QUALITY WORKS.

LANXESS
Energizing Chemistry

Reference List

Lewabrane® RO membrane elements are designed for state-of-the-art desalination of seawater, brackish water, and low-salinity water in industrial and potable water applications. LANXESS manufactures its **Lewabrane®** RO membrane elements at a high-tech, fully automated production plant in Bitterfeld, Germany.

Country	City	Capacity		Water type	Industry	Element type
Europe, Middle East, Africa						
Egypt	Alexandria	5,760	m ³ /day	River water	Chemicals	B400 FR
Egypt	Ras Sedr	2,500	m ³ /day	Seawater	Municipal	S400 HR
Egypt	Ain Sokhna	960	m ³ /day	Brackish water	Municipal	B400 FR
Egypt	Hurghada	600	m ³ /day	Seawater	Municipal	S400 HR
Egypt	Sharm El Sheikh	500	m ³ /day	Seawater	Municipal	S400 HR
Germany	Leuna	5,280	m ³ /day	River water	Oil & gas	B400 HR
Germany	Frankfurt/Main	3,600	m ³ /day	Low-salinity water	Refining/chemicals	B400 LE ASD
Germany	Chemnitz	2,880	m ³ /day	Low-salinity water	Power	B400 FR
Germany	Bad Köstritz	2,400	m ³ /day	Low-salinity water	Refining/chemicals	B400 LE
Germany	Wiesbaden	1,440	m ³ /day	Low-salinity water	Refining/chemicals	B400 LE
Germany	Lippendorf	1,200	m ³ /day	Low-salinity water	Power	B400 FR
Italy	Scarlino	1,680	m ³ /day	River water	Refining/chemicals	B400 FR
Italy	Pordenone	1,200	m ³ /day	Brackish water	Mechanics	B400 FR
Namibia	Windhoek	1,044	m ³ /day	Low-salinity water	Food & beverage	B400 FR ASD
Poland	Głogów	1,200	m ³ /day	River water	Power	B400 LE
Poland	Myszków	864	m ³ /day	Low-salinity water	Food & beverage	B400 LE
Poland	Bukowno	600	m ³ /day	River water	Mining	B400 HF
Poland	Katowice	528	m ³ /day	River water	Power	B400 LE ASD
Romania	Ploiești	2,040	m ³ /day	Low-salinity water	Oil & gas	B440 LE
Russian Federation	Shchekino	7,800	m ³ /day	Low-salinity water	Refining/chemicals	B370 HF
Russian Federation	Nizhnekamsk	2,448	m ³ /day	Low-salinity water	Power	B400 HR
Serbia	Pančevo	7,200	m ³ /day	River water	Oil & gas	B400 LE
Slovakia	Bratislava	16,200	m ³ /day	River water	Oil & gas	B400 HR
South Africa	Randfontein	2,640	m ³ /day	Brackish water	Drinking water	B400 FR ASD
South Africa	Newcastle	312	m ³ /day	Low-salinity water	Refining/chemicals	B400 HR
Sweden	Borgholm	3,000	m ³ /day	Seawater	Drinking water	B440 LE
Turkey	Bursa	14,400	m ³ /day	Wastewater	Wastewater reuse	B400 LE

X Lewabrane®

Country	City	Capacity		Water type	Industry	Element type
Americas						
Brazil	Triunfo	4,320	m ³ /day	Low-salinity water	Petrochemicals	B400 LE
Brazil	Cabo de Santo Agostinho	1,680	m ³ /day	Surface water	Chemicals	B400 HF
Brazil	São Paulo	1,440	m ³ /day	Low-salinity water	Power	B400 HR / S400 HR
Colombia	Barranquilla	2,592	m ³ /day	River water	Power	B400 LE ASD
Colombia	Cali	868	m ³ /day	Brackish water	Power	B400 FR
Colombia	Cartagena	816	m ³ /day	Brackish water	Power	B440 HF
Mexico	Cardereyta	21,600	m ³ /day	Brackish water	Power	B400 FR
Mexico	Tampico	13,824	m ³ /day	Low-salinity water	Oil & gas	B400 FR
Mexico	Xalostoc	2,180	m ³ /day	Brackish water	Food & beverage	B400 FR
Mexico	Ixtlahuacán	1,090	m ³ /day	Brackish water	Food & beverage	B400 LE
Mexico	Nava	1,008	m ³ /day	Surface water	Other	B400 HR / B400 LE
Mexico	Veracruz	1,000	m ³ /day	Surface water	Food & beverage	B400 FR
Peru	Trujillo	720	m ³ /day	Wastewater	Food & beverage	B400 LE
USA	Springerville, AZ	2,725	m ³ /day	Brackish water	Power	B400 FR ASD
USA	Tampa	1,200	m ³ /day	Wastewater	Power	B370 HR
USA	Sherman, TX	636	m ³ /day	Brackish water	Power	B400 HR
Asia-Pacific						
Australia	Sydney	6,000	m ³ /day	Low-salinity water	Wastewater reuse	B400 HR / B440 HR
Australia	Perth	4,000	m ³ /day	Brackish water	Power	B440 HR
Australia	Perth	2,500	m ³ /day	Brackish water	Power	B400 HR
China	Liaoning	14,400	m ³ /day	River water	Refining/chemicals	B400 FR + B440 LE
China	Huhehaote	8,640	m ³ /day	Wastewater	Refining/chemicals	B400 HR
China	Ningxia	8,400	m ³ /day	Wastewater	Mining	B400 FR
China	Fushan	7,680	m ³ /day	Wastewater	Wastewater reuse	B400 FR
China	Manzhouli	4,800	m ³ /day	Low-salinity water	Pulp & paper	B400 HR
China	Neimenggu	4,800	m ³ /day	River water	Power	B400 FR
China	Guangdong	4,800	m ³ /day	River water	Power	B400 FR
China	Liaoning	4,800	m ³ /day	Wastewater	Other	B400 FR
China	Pingxiang	4,320	m ³ /day	Low-salinity water	Power	B400 FR
China	Puyang	2,880	m ³ /day	Low-salinity water	Chemicals	B400 HR
China	Taiyuan	2,400	m ³ /day	Low-salinity water	Power	B400 FR
China	Linfen	2,400	m ³ /day	Low-salinity water	Power	B400 FR
China	Hangzhou	2,400	m ³ /day	Pure water	Refining/chemicals	B400 HF
China	Shanghai	1,200	m ³ /day	Low-salinity water	Refining/chemicals	B400 HR
India	Tirupur	2,700	m ³ /day	Wastewater	Textile	B400 FR ASD + S400 HR
India	Tirupur	2,040	m ³ /day	Wastewater	Textile	S400 HR
India	Mumbai	1,340	m ³ /day	Brackish water	Electroplating	B370 HR
India	Chennai	800	m ³ /day	Brackish water	Power	B400 HR
India	Nagda	760	m ³ /day	Wastewater	Chemicals	B400 HR
India	Surat	240	m ³ /day	Brackish water	Textile	B400 FR
Indonesia	Jakarta	1,560	m ³ /day	Seawater	Municipal	S400 HF
Indonesia	Surabaya	840	m ³ /day	River water	Other	B400 HR
South Korea	Gumi	5,300	m ³ /day	Wastewater	Refining/chemicals	B400 FR
South Korea	Ansan	4,750	m ³ /day	Low-salinity water	Electronic industry	B400 HR
South Korea	Pyongtaek	3,400	m ³ /day	Low-salinity water	Electronic industry	B400 HR
Thailand	Samut Sakhon	2,300	m ³ /day	Brackish water	Electronic industry	B400 HR
Vietnam	Haiphong	720	m ³ /day	Surface water	Automotive	B400 FR

We are happy to support your business. Please contact us for additional information: visit www.lpt.lanxess.com

LANXESS
Energizing Chemistry

LANXESS Deutschland GmbH
Liquid Purification Technologies
Kennedyplatz 1, 50569 Cologne,
Germany
Phone: +49 221 8885-0
E-mail: lewabrane@lanxess.com

Health and Safety Information: Appropriate literature has been assembled which provides information concerning the health and safety precautions that must be observed when handling the LANXESS products mentioned in this publication. For materials mentioned which are not LANXESS products, appropriate industrial hygiene and other safety precautions recommended by their manufacturers should be followed. Before working with any of these products, you must read and become familiar with the available information on their hazards, proper use and handling. This cannot be overemphasized. Information is available in several forms, e.g., material safety data sheets, product information and product labels. Consult your LANXESS representative in Germany or contact the Regulatory Affairs and Product Safety Department of LANXESS Deutschland GmbH or – for business in the USA – the LANXESS Corporation Product Safety and Regulatory Affairs Department in Pittsburgh, PA, USA.

Regulatory Compliance Information: Some of the end uses of the products described in this publication must comply with applicable regulations, such as the FDA, BFR, NSF, USDA, and CPSC. If you have any questions on the regulatory status of these products, contact – for business in the USA – the LANXESS Corporation Regulatory Affairs and Product Safety Department in Pittsburgh, PA, USA or for business outside US the Regulatory Affairs and Product Safety Department of LANXESS Deutschland GmbH in Germany.

The manner in which you use and the purpose to which you put and utilize our products, technical assistance and information (whether verbal, written or by way of production evaluations), including any suggested formulations and recommendations are beyond our control. Therefore, it is imperative that you test our products, technical assistance and information to determine to your own satisfaction whether they are suitable for your intended uses and applications. This application-specific analysis must at least include testing to determine suitability from a technical as well as health, safety, and environmental standpoint. Such testing has not necessarily been done by us. Unless we otherwise agree in writing, all products are sold strictly pursuant to the terms of our standard conditions of sale. All information and technical assistance is given without warranty or guarantee and is subject to change without notice. It is expressly understood and agreed that you assume and hereby expressly release us from all liability, in tort, contract or otherwise, incurred in connection with the use of our products, technical assistance, and information.

Any statement or recommendation not contained herein is unauthorized and shall not bind us. Nothing herein shall be construed as a recommendation to use any product in conflict with patents covering any material or its use. No license is implied or in fact granted under the claims of any patent.

All trademarks are trademarks of the LANXESS Group, unless otherwise specified. Status 08/2017